Changelog yuuvis RAD 7.4

Schlüssel	Komponente (n)	Zusammenfassung	Beschreibung
COOL-14360	yuuvis RAD core-service	The deleteRecyled operation stores necessary information in the dps-audit table for a subsequent job	As an administrator, I want the DeleteRecycled Operation is reporting well so that necessary other jobs can react to an error that is reported. Background: If the DeleteRecycled Operation is called, information about the finally deleted object is stored inside the audit-table. If the physical data could not be deleted, the information in the deleterecyclednodes table is removed - regardless of the physical file could be deleted or not. Problem: The container-locator is missing in the report and in the dps audit table. This table should contain the container-locator data. Acceptance: • See linked story for version 6.16: The report should show the container locator on a detailed report and on error. • The dps audit table should contain the container locator.
COOL-14377	yuuvis RAD core-service	The deleteRecyled operation reports necessary information for a subsequent job	As an administrator, I want the DeleteRecycled Operation is reporting well so that necessary other jobs can react to an error that is reported. Background: If the DeleteRecycled Operation is called, information about the finally deleted object is stored inside the audit-table. If the physical data could not be deleted, the information in the deleterecyclednodes table is removed - regardless of the physical file could be deleted or not. Problem: The container-locator is missing in the report and in the dps audit table. This table should contain the container-locator data. Acceptance: • The report should show the container locator on a detailed report and on error. • See linked story for version 7.x: The dps audit table should contain the container locator.

2 Vorgänge