

Changelog yuavis RAD 8.6

Schlüssel	Zusammenfassung	Beschreibung
ERA-8503	Handling of connection settings in designer is improved	<p>As a modeler, I would like to have a clearer UI for configuration of connections to server, in order to reduce the probability of inadvertent errors (such as configuring a connection but not saving it).</p> <p>Acceptance criteria:</p> <ul style="list-style-type: none">• Connection details can be edited in another modal dialog in front of the settings dialog.• If this modal dialog is closed with "OK", the changes are applied• If this modal dialog is closed with "Cancel", the changes will not be applied.
ERA-8504	If creation of a system-snapshot project fails, the resulting incomplete project is deleted	<p>As a modeler, I would like that incomplete project is deleted when project creation from a system snapshot fails. Currently, an incomplete project with defined name remains on disk and a new project with the same name cannot be created.</p> <p>Acceptance criteria:</p> <ul style="list-style-type: none">• In order to reduce the possibility of project-creation failures caused by issues in connection to server, server is pinged before starting project creation<ul style="list-style-type: none">◦ if server does not reponse, process creation process is interrupted and error is show immediately to the user◦ otherwise, project creation process continues• If creation of project from a snapshot fails, user is informed about the failure and the directory containing the project files is deleted without further user interaction• If automatic deletion was not possible, user is informed that (parts of) project remain on disk and have to be removed manually
ERA-8660	User is informed prior to schema activation that database has differences	<p>As a user I would like to be informed that there exist differences between currently active schema and database structure prior to activation of a new schema, in order to be able to resolve them before I continue the activation process.</p> <p>Acceptance criteria:</p> <ul style="list-style-type: none">• The validation of schema informs user that there already exist "differences" in database in form of a warning, and that this activation procedure may not be able to adapt tables containing these differences• Differences can be resolved from management studio (i.e., designer does not offer this possibility) <p>(Same wording is used as in ERA-7686 so that user understands that the warning about differences has caused the error shown after activation (Database tables cannot be adapted))</p>
TUK-994	As an administrator, you can configure the complexity rules for setting up a password for a user	<p>Acceptance criteria:</p> <ul style="list-style-type: none">• In the management studio the following complexity rules can be set in the system view under settings /cluster/session services/password validation settings:<ul style="list-style-type: none">◦ Minimum length of the user password, default is 7◦ Minimum count of numbers, default is 0◦ Minimum of special characters, default 0• The endpoint <domain>/rest-ws/service/user returns the password validation:• The password is checked on the frontend-side:<ul style="list-style-type: none">◦ The backend is validating the changed password and returns an error with detailed information.◦ In the client, the set complexity rules are validated while the user enters the new password.◦ In the management studio, the detailed error is displayed after saving the user data and if the given password does not match the criteria.