

Changelog yuuviz RAD 9.2

Schlüssel	Zusammenfassung	Beschreibung
ERA-8003	Workitem participants added by administrator can be informed by email about their newly assigned task	<p>As a system administrator, I would like that users that are added by me in management studio to participants list of a task are informed per email, so that they know they have a newly assigned task.</p> <p>Acceptance criteria:</p> <ul style="list-style-type: none">• Users and groups that are added to participant list of an workitem via REST endpoint (either directly or by administrator action in management studio) will be informed by email<ul style="list-style-type: none">◦ Groups that are already in participants list are not checked for presence of newly added users. So for instance<ul style="list-style-type: none">▪ if a user is member of group that was already informed about the task, and is then added manually to list of participants by an administrator, the user will get a new email▪ or, if a user X is member of a group Y and is informed by email, and administrator adds group Z and user X is in the group Z, user X will get another email◦ There is no persistence about user/group/role membership throughout workitem existence and checks that prevent sending of emails to users that were informed about the task at one previous point in time. So for instance, if an administrator removes a user, saves the participant list, and adds user again, user will get email. (i.e., only the last state of performer list is checked for changes)• For users that are added directly or indirectly, use all email configurations where "Sent to current participants" option is activated• For substitutes of users that are added (directly or indirectly) and where substitution rules apply, use all email configurations where "Sent to current substitutes" option is activated
ERA-9170	Digit grouping for data fields in processes	<p>As a system administrator I would like to configure whether digits of numeric fields are grouped in forms or not, to provide better readability of data to end users.</p> <p>Acceptance criteria:</p> <ul style="list-style-type: none">• digit grouping is a field property in form, for fields in DMS schema and datafields in workflow definition• it is a boolean property, disabled by default• this property defines the field behavior on forms• core-service sends data in correct format so that client can render it correctly <p>Information: the property "Digital grouping" remains field property, to be able to format fields in hit lists</p>
ERA-9193	Users can filter the inbox to see only tasks that were accepted by them	<p>As a user, I want to differentiate between inbox items that were accepted by me and those which are not, in order to work more efficiently on items in my inbox.</p> <p>Acceptance criteria:</p> <ul style="list-style-type: none">• Inbox items can be filtered in two groups: accepted and not yet accepted• Current workflow task property "read" is renamed into "accepted"<ul style="list-style-type: none">◦ readTime property is removed◦ the property already covers the desired functionality and can be then used by client to filter the tasks
TUK-1748	In this case, the user has marked more than one document the action 'Download document files' is exporting them in a zip file	<p>As a user, I want to be able to download the files of marked documents in a zip file so that I get them all in one step instead of one file at a time.</p> <p>Acceptance criteria:</p> <ul style="list-style-type: none">• If more than one document has been marked in the hit list the action 'Download document file' downloads them in a zip-file in the original file format as well as in PDF format. The exported file is named <code>export_<current date>_< current time>.zip</code>• The core-service offers a PUT endpoint to request a zip-file with the files of listed objectIds: <div data-bbox="586 1520 1481 1619" style="border: 1px solid #ccc; padding: 10px; margin: 10px 0;"><pre>http://mydomain/rest-ws/service/dms/batch/export</pre></div> <ul style="list-style-type: none">• ◦ In the Swagger-UI the endpoint is documented including an example.• The filenames within the zip-file are the original ones with the prefix "<number of download>_" to prevent problems in the case of same filenames.
TUK-1758	In the form table edit dialog, users are supported by an more dominant action button instead of an icon for toggling the content previewer area	<p>As a new user of the client, I want to be supported by an action button instead of an icon for toggling the viewer area so that I better recognize this feature.</p> <p>Acceptance criteria:</p> <ul style="list-style-type: none">• instead of only the icon a button is offered with that icon in front of the label "Show content" / "Inhalt anzeigen" or "Hide content" / "Inhalt ausblenden"• Hovering over the button is dimming it but not tool tip is shown.

TUK-1759	Administrators can change the scoring parameters <code>boost_mode</code> and <code>boost</code> of the fulltext search	<p>As an administrator, I want to be able to change the scoring of the fulltext search behavior regarding the parameter <code>boost_mode</code> and <code>boost</code> to optimize the sequence of the hit list items.</p> <p>Acceptance criteria:</p> <ul style="list-style-type: none">• In the file <code>search-prod.yml</code>, these parameters can be configured to control the sequence of the hitlist<ul style="list-style-type: none">◦ <code>boost_mode</code>: avg (as default) or sum◦ <code>boost</code>: <number, e.g. 1.5>
TUK-1776	Users can filter the inbox to only show accepted tasks or tasks that are not accepted yet	<p>As a user, I want to differentiate inbox items whether they are accepted (personalized/assigned to me) or not, in order to work more efficiently on items in my inbox.</p> <p>Acceptance criteria:</p> <ul style="list-style-type: none">• Inbox items can be filtered into three groups: both, 'Accepted' 'Not yet accepted', the default is both<ul style="list-style-type: none">◦ The relevant task property is "accepted": true/false (formerly "read": true/false
TUK-1851	Administrators are supported by a quasi standard abstract object type that covers signing properties	<p>As an administrator, I want to be supported by a standard abstract system object type that covers signing properties and that I can assign to object types that should handle files to be signed.</p> <p>Acceptance criteria:</p> <ul style="list-style-type: none">• There is a developer article on the help site that contains and describes a project with this abstract object type.• This abstract object type is tested with an object type that is derived from it.• A documentation of the planned signing process is written here: https://yuuvisdevelop.atlassian.net/wiki/spaces/onpremise/pages/426770437/The+signing+of+a+document
TUK-2032	Users can explicitly save and delete inbox filter terms which are replacing the recent filter terms	<p>As a user, I want to be supported by an intuitive list of recently used filter terms that need fewer clicks.</p> <p>Acceptance criteria:</p> <ul style="list-style-type: none">• The list of recently used filters is removed from the filter field.• The symbol '+' is offered behind the filter field and a tooltip 'Save filter term'/Filterterm speichern' is offered. The values are saved to the server in the user settings.• Below the filter field a section 'Saved filter terms'/Gespeicherte Filterterme' is shown if more than one is saved.<ul style="list-style-type: none">◦ The old locally saved recent filter terms are listed.◦ The number of values is not limited but a scroll bar supports longer lists.◦ A saved filter term can be deleted.• The filter checkboxes are repositioned: The first four checkboxes are all processes-relevant so they are now listed below the checkbox 'Process'.
TUK-2219	A user can share a folder with users /roles including children as well as other users/roles not including children	<p>As a user, I want to be able to share a folder with users/roles including children as well as other users/roles not including children so that I can differentiate the access if necessary.</p> <p>Acceptance criteria:</p> <ul style="list-style-type: none">• There is an endpoint that allows this situation: see in Swagger-UI of the REST-WS interface: http://yourdomain/rest-ws/swagger.html?urls.primaryName=DmsService#/Endpoints/setShare• Solution for the action dialog in the client: offer a section 'Share only the folder with:/'Nur den Ordner teilen mit:' and 'Share folder and documents with:/'Ordner und Dokumente teilen mit:'. In each section, a multi-user/group field is offered. The current checkbox 'Include children' is removed.• If a sharing is given, an additional action 'Stop sharing/'Teilen beenden' is offered. Pushing this action the user is first asked whether to do so and removes the sharing entries.• The notification after sharing shows the elements of both fields.
TUK-2223	It is possible to disable the result list scoring	<p>As an administrator, I want to be able to disable the result list scoring if I want to optimize the performance and if no scoring configuration is needed.</p> <p>Acceptance criteria:</p> <ul style="list-style-type: none">• It is possible to disable the scoring by using the parameter <code>osfts.modify-score</code> in the configuration file <code>search-prod.yml</code>, default is true: <pre data-bbox="586 1696 1482 1843">osfts: modify-score: false</pre>

TUK-2240 It is possible to navigate through the object action menu and its dialogs via keyboard control

As a user with a handicap, I want to be able to navigate through the object action menu by keyboard control so that I do not need to use the mouse.

Acceptance criteria:

- If the object details are offered in the current view the 'Object actions' are offered in the 'Application actions' menu and a push on it or pushing the shortcut key 'a' is opening the object actions menu.
- After the object action menu is opened the first element is focused.
- The next action can be focused by pushing the tab or keys cursor down.
- The previous action can be focused by pushing shift + tab.
- A focused action can be executed by pushing the keys Enter.
- Every action dialog can be controlled by keyboard as well:
 - In case of a form, the first field is focused
 - In case of a form field of type string, the string is marked

12 Vorgänge